

ASSESSING USER TRUSTWORTHINESS IN SOCIAL REVIEWING SYSTEMS

¹Mrs. CHAITANYA NUKALA, M.Tech,(Ph.D.),Assistant Professor

²CHAKALI RAMA TULASI, ²MCA Student

Department of Master of Computer application

Rajeev Gandhi Memorial College of Engineering and Technology

Nandyal, 518501, Andhra Pradesh, India.

ABSTRACT

Social Networks represent a cornerstone of our daily life, where the so-called social reviewing systems (SRSs) play a key role in our daily lives and are used to access data typically in the form of reviews. Due to their importance, social networks must be trustworthy and secure, so that their shared information can be used by the people without any concerns, and must be protected against possible attacks and misuses. One of the most critical attacks against the reputation system is represented by mendacious reviews. As this kind of attacks can be conducted by legitimate users of the network, a particularly powerful solution is to exploit trust management, by assigning a trust degree to users, so that people can weigh the gathered data based on such trust degrees. Trust management within the context of SRSs is particularly challenging, as determining incorrect behaviors is subjective and hard to be fully automatized. Several attempts in the current literature have been proposed; however, such an issue is still far from been completely resolved. In this study, we propose a solution against mendacious reviews that combines fuzzy logic and the theory of evidence by modeling trust management as a multicriteria multiexpert decision making and exploiting the novel concept of time-dependent and content-dependent crown consensus. We empirically proved that our approach outperforms the main related works approaches, also in dealing with sock puppet attacks.

1. INTRODUCTION

AS WELL known, the online social networks [1] are Internet-enabled applications used by people to establish social relations with the other individuals sharing similar personal interests and/or activities. Apart from exchanging personal data, such as photographs or videos, mainly all these applications allow their users to share comments and opinions on specific topics, so as to suggest objects or places of interest (e.g., Trip Advisor, Foursquare, etc.) or to provide social environments able to facilitate particular tasks (e.g., the search of a job as in LinkedIn, the answer to research questions as in Research Gate, purchases on Amazon, etc.). Due to this comment/opinion sharing, these social applications, which we will refer to as social reviewing systems (SRSs) have been extensively used when people need to make daily decisions, increasing their popularity. As a concrete example, most of us access to a preferable SRS before choosing a restaurant or buying something so as to get reviews and feedback. People are progressively and symbiotically dependent on them as proved by the advanced opinion modeling and analysis, exploiting the impact of neighbors on user preferences or approaching the existing information overload in SRS, such as [2], [3]. For this reason, the trustworthiness of SRS is particularly important, and a key concern for effective opinion dynamics and trust propagation within a community of users [4]. In fact, SRSs suffer from forged messages

and camouflaged/fake users that are able to avoid individuals take the right decision. This may raise several issues about privacy and security [5], mainly due to the fact that several personal and sensitive information are shared, and leaked, throughout SRS [6], [7], and that a person may choose to hide its true self and intentions behind a totally false virtual identity [8] or a Bot (short for software robots) may mimic human behavior in SRS [9]. In addition, threats in SRS, such as data leaks, phishing bait, information tampering, and so on, are never limited to a given social actor, but spread across the network like an infection by obtaining victims among the friends of the infested actors. So, an SRS provider needs to provide proper protection means to guarantee its trustworthiness.

Some works in the current literature, such as [10], mostly deal only with forging messages as this can be easily resolved by using cryptography. However, the second kind of malicious behavior caused by camouflaged/fake users is still an open issue. During the last decade, several solutions have been proposed in order to deal with the problem of camouflaged/fake users [11]–[13]. The issue of providing privacy has led to the adoption of access control means, while counteracting forging nodes/identities and social links/connections demanded authentication of users and exchanged messages [14], [15]. Mostly, such mechanisms aim at approaching external attackers or intruders, while thwarting legitimate participants in the SRS acting in a malicious way is extremely challenging. A naive way to protect against malicious individuals is to have users being careful when choosing with whom to have a relationship. Two users in social networks may have various kinds of relationships: 1) in Face book-like systems users can indicate others as “friends,” or 2) in Instagram-like systems a user can “follow” others. However,

users are typically not so careful when accepting received joining requests, and selecting other users to be connected with is typically extremely difficult (as malicious users are also experts in camouflaging themselves). Despite the relationships among the social actors within an SRS should be based on the direct knowledge in the real life of the people behind such actors (such as former classmates, colleagues, or member of the same family or group of friends), the majority of the relationships are typically made without such a face-to-face knowledge but among users that have never been met in person. *Trust management* is among the most popular solution to fight against such inside attackers [16]. It consists to assign a “trust” value to users based on the direct analysis of their behaviors or indirect trust relationship among social actors. To this aim, it is a soft secure measure implying the revocation of a social link toward those actors with a low trust value, or to strengthen the protection measures for those actors exhibiting a low trust degree, by limiting the data/functionalities that they can have access to. Despite being a powerful protection means [17], trust management is not explicitly provided by the main SRS platforms, due to the issues related to its automatic computation.

There is the problem to select the data of interest upon which computing the trust degree among the vast amount of shared information, which shows the main features (volume, variety, and velocity) of *big data*. To simplify the problem, a well-investigated aspect is the study of trust network [18]. Specifically, an SRS is seen as a graph, where each vertex is a social actor, and each link models a social relationship between two actors where a trust value is assigned by one to another by means of the previous computation approach [19], [20]. It is not rare that actors may interact with nonadjacent

other actors, so it is important to find a trust path among nonadjacent actors to compute trust transitivity (so that they can interact). However, there is still the problem on how measuring the mutual trust of two actors connected by a social relationship, which is further used for trust transitivity for unrelated users having some related users in common. This can be roughly measured as the ratio of the good iterations over the total number of elapsed interactions, even if more complex models have been proposed. Possible violations against the ethical norms cannot be objectively determined (meaning that such judgments are absolutely true or false and it is possible to assign them a 0 or 1 value) but are strongly based on or influenced by the person making the judgment (i.e., are subjective) and expressed in a partial truth way (i.e., judgement can range from completely true to completely false and it is possible to assign a real number going from 0 to 1), due to uncertain and vague natures of the behavioral data collected on human interactions. This makes the overall trust management an example of the so-called fuzzy decision-making problem [21] and make its fully automation extremely complex. Protecting the overall aggregation from the impact of malicious or fake reputations is an issue to consider [22], and falls within the literature of security and privacy of *Recommender Systems* [23].

Our work aims to contribute to the on-going efforts on the trust computation in SRSs, where the behaviors of social actors are described by means of their submitted “reviews” on specific objects of interest. Specifically, a genuine review may reflect a correct behavior of the actor, while a deceitful review is a sign of a malicious behavior. To deal with the mentioned big data problem, we have considered those social application to recommend objects of interest, since they restrict the kind of

behavioral data to reviews as text content in natural language. Despite the current SRS providers are reluctant to disclose their data (since mainly sensitive for their users and/or business), reviews are publicly accessible and user review datasets are largely available. To deal with the subjective review judgement, we leverage on the fuzzy theory as widely used in [24]. To deal with the problem of computing trust computation, we propose a proper robust aggregation means of the outcomes of review analyzers, each evaluating incoming reviews based on a specific criterion. To deal with the problem of mendacious reviews, we estimate which reviews contains opinions deviating from the evaluation of an objective of interest from the majority, as only a small portion of the reviewers is malicious.

2. LITERATURE SURVEY

“Online social networks,” *IEEE Netw.*, vol. 24, no. 5, pp. 4–5, Sep/Oct. 2010.

The popularity and complexity of online social networks (OSNs) continues to grow unabatedly with the most popular applications featuring hundreds of millions of active users. Ranging from social communities and discussion groups, to recommendation engines, tagging systems, mobile social networks, games, and virtual worlds, OSN applications have not only shifted the focus of application developers to the human factor, but have also transformed traditional application paradigms such as the way users communicate and navigate in the Internet. Indeed, understanding user behavior is now an integral part of online services and applications, with system and algorithm design becoming in effect user-centric. As expected, this paradigm shift has not left the research community unaffected, triggering intense research interest in the analysis of the structure and properties of online communities.

“Opinion dynamics-based group recommender systems,”

With the development of the Internet of Things (IoT), the group recommender system has also been extended to the field of IoT. The entities in the IoT are linked through social networks, which constitute massive amounts of data. In group activities such as group purchases and group tours, user groups often exhibit common interests and hobbies, and it is necessary to make recommendations for certain user groups. This idea constitutes the group recommender system. However, group members' preferences are not fully considered in group recommendations, and how to use trusted social networks based on their preferences remains unclear. The focus of this paper is group recommendation based on an average strategy, where group members have preferential differences and use trusted social networks to correct for their preferences. Thus, the accuracy of the group recommender system in the IoT and big data environment is improved.

“A review on trust propagation and opinion dynamics in social networks and group decision making frameworks,”

On-line platforms foster the communication capabilities of the Internet to develop large-scale influence networks in which the quality of the interactions can be evaluated based on trust and reputation. So far, this technology is well known for building trust and harnessing cooperation in on-line marketplaces, such as Amazon (www.amazon.com) and eBay (www.ebay.es). However, these mechanisms are poised to have a broader impact on a wide range of scenarios, from large scale decision making procedures, such as the ones implied in e-democracy, to trust based recommendations on e-health context or influence and performance assessment in e-marketing and e-learning systems. This contribution surveys the progress in understanding the new possibilities and challenges that trust and reputation systems pose. To do so, it discusses trust, reputation

and influence which are important measures in networked based communication mechanisms to support the worthiness of information, products, services opinions and recommendations. The existent mechanisms to estimate and propagate trust and reputation, in distributed networked scenarios, and how these measures can be integrated in decision making to reach consensus among the agents are analysed. Furthermore, it also provides an overview of the relevant work in opinion dynamics and influence assessment, as part of social networks. Finally, it identifies challenges and research opportunities on how the so called trust based network can be leveraged as an influence measure to foster decision making processes and recommendation mechanisms in complex social networks scenarios with uncertain knowledge, like the mentioned in e-health and e-marketing frameworks.

3. EXISTING SYSTEM

- Yu et al. [38] described an approach for computing user trustworthiness by leveraging on the “familiarity” and “similarity” concepts and considering the influence of user actions on the trustworthiness computation. The aim of this methodology is to detect malicious users-based also on a security queue to record users' historical trust information. Afterward, Yu et al. [39] proposed an approach based on deep learning techniques in conjunction with user trustworthiness characterization for configuring privacy settings for social image sharing. In addition, a two-phase trust-based approach based on deep learning techniques has also been proposed by Deng et al. [40] for social network recommendation, so as to determine the users' interests and their trusted friends' interests

together with the impact of community effect for recommendations.

- Rayana and Akoglu [27] presented a system, namely, SpEagle, that uses metadata (i.e., text, timestamp, and rating) in conjunction with relational data to spot suspicious users and reviews.
- Other related approaches exploit reviews' evaluation for detecting and/or characterizing spam in social media. Shehnepoor et al. [28] proposed a framework named NetSpam that models reviews in online social media, as a case of heterogeneous networks, by using spam features for detection purposes. Ye et al. [41] described an approach based on the temporal analysis by monitoring selected indicative signals of opinion spams over the time, for detecting and characterizing abnormal events in real time.
- A system based on four integrated components, specifically: 1) a reputation-based component; 2) a credibility classifier engine; 3) a user experience component; and 4) a featureranking algorithm, has been designed and implemented by
- Alrubian et al. [42] for assessing information credibility on Twitter. In [43], the CommTrust framework has been introduced for trust evaluations by mining feedback comments. More in detail, it is based on a multidimensional trust model for computing reputation scores from user feedback comments, which are analyzing combining natural language processing techniques, opinion mining, and topic modeling.
- Furthermore, another framework, namely, LiquidCrowd, has been proposed by Castano et al. [44] exploiting consensus and trustworthiness techniques for managing the execution of collective tasks. Kumar et al. [45] proposed a system, namely, FairJudge, to identify fraudulent users based on the mutually recursive
- definition of the following three metrics: 1) the user trustworthiness in rating products; 2) the rating reliability; and 3) the goodness of a product. Moreover, Kumar et al. [46] described a system for identifying fraudulent users based on six axioms to define the interdependency among three intrinsic quality metrics concerning a user, reliability and goodness of a product by combining network and behavior properties. Hooi et al. [47] developed an algorithm, called FraudAR, aiming at being resistant to the camouflage attacks, for identifying fake reviews and users. Furthermore, Birdnest, an approach combining Bayesian model of user rating behavior and a likelihood-based suspiciousness metric [normalized expected surprise total (NEST)], has been proposed in [48].
- Liu et al. [32] investigated the sockpuppet attacks on reviewing A system based on four integrated components, specifically: 1) a reputation-based component; 2) a credibility classifier engine; 3) a user experience component; and 4) a feature ranking algorithm, has been designed and implemented by Alrubian et al. [42] for assessing information credibility on
- Twitter. In [43], the CommTrust framework has been introduced for

trust evaluations by mining feedback comments. More in detail, it is based on a multidimensional trust model for computing reputation scores from user feedback comments, which are analyzing combining natural language processing techniques, opinion mining, and topic modeling. Furthermore, another framework, namely, LiquidCrowd, has been proposed by Castano et al. [44] exploiting consensus and trustworthiness techniques for managing the execution of collective tasks.

- Kumar et al. [45] proposed a system, namely, FairJudge, to identify fraudulent users based on the mutually recursive definition of the following three metrics: 1) the user trustworthiness in rating products; 2) the rating reliability; and 3) the goodness of a product. Moreover, Kumar et al. [46] described a system for identifying fraudulent users based on six axioms to define the interdependency among three intrinsic quality metrics concerning a user, reliability and goodness of a product by combining network and behavior properties.
- Hooi et al. [47] developed an algorithm, called FraudAR,
- aiming at being resistant to the camouflage attacks, for identifying fake reviews and users. Furthermore, Birdnest, an approach combining Bayesian model of user rating behavior and a likelihood-based suspiciousness metric [normalized expected surprise total (NEST)], has been proposed in [48]. Liu et al. [32] investigated the sockpuppet attacks on reviewing systems by proposing a fraud detection algorithm, called RTV, that introduces trusted users

and also considers reviews left by verified users.

DISADVANTAGES

- An existing methodology doesn't implement multicriteria multiexpert decision-making (MCME-DM) method.
- The system not implemented Dempster–Shafer (D-S) theory.

4. PROPOSED SYSTEM

The contribution of our work consists in the definition of a proper process to estimate the trustworthiness of social actors based on their published reviews and to achieve robustness against possible false opinions as follows.

1) Identifying possible mendacious reviews by exploiting a multicriteria decision making and introducing the novel concept of time-dependent and content-dependent crown consensus, where various criteria are used to evaluate the quality of a given review.

2) Performing reputation aggregation based on the Dempster–Shafer (D-S) combination rule [25] so as to infer the user trustworthiness.

3) Implementing the proposed approach in a cloud-based platform by crawling reviews from heterogeneous datasets, preprocessing (by performing data cleaning) and storing the acquired reviews in a NoSQL database, and realizing the envisioned trust computation by using an analytics engine for big data processing.

4) Experimenting the proposed approach and implemented solution on two different datasets, one from the Yelp Dataset Challenge and the other from Amazon Customer Review Datasets. We have also adopted the YelpNYC dataset so as to run the effectiveness evaluation of the approach against some of the main works within the literature. Such experiments proved the higher degree of precision and the user ranking challenges than the other approaches.

ADVANTAGES


- 1) Effectiveness: To examine the accuracy of the proposed approach by varying expert and criteria weights and to compare our technique with the other ones proposed in the literature.
- 2) Robustness With Respect to Sockpuppet Attacks: For analyzing how the proposed approach deals with this particular attack by varying the percentage of most suspicious accounts considered fraudsters and to compare the obtained results with respect to the state-of-the-art ones.

Project Requirements

The project involved analyzing the design of few applications so as to make the application more users friendly. To do so, it was really important to keep the navigations from one screen to the other wellordered and at the same time reducing the amount of typing the user needs to do. In order to make the application more accessible, the browser version had to be chosen so that it is compatible with most of the Browsers.

5. SYSTEM ARCHITECTURE

6.



7. IMPLEMENTATION

MODULES

Service Provider

In this module, the Service Provider has to login by using valid user name and password. After login successful he can do some operations such as Login, Browse Product Review Datasets and Train & Test Data Sets, View Trained and Tested Accuracy in Bar Chart, View Trained and Tested Accuracy Results, View Prediction Of Product Review Trust, View Prediction Of Product Review Trust Ratio, Download Predicted Data Sets, View Prediction Of Product Review Trust Ratio Results, View All Remote Users.

View and Authorize Users

In this module, the admin can view the list of users who all registered. In this, the admin can view the user's details such as, user name, email, address and admin authorizes the users.

Remote User

In this module, there are n numbers of users are present. User should register before doing any operations. Once user registers, their details will be stored to the database. After registration successful, he has to login by using authorized user name and password. Once Login is successful user will do some operations like REGISTER AND LOGIN, PREDICT PRODUCT REVIEW TRUST TYPE, VIEW YOUR PROFILE

8. CONCLUSION AND FUTURE ENHANCEMENT

CONCLUSION

This study proposed a solution to the problem of trust management within the context of the social networks, where it is important to deal with the subjectivity of the detection of malicious behaviors and the need of objectivity in order to design an auto atic

process to assign trust degrees to users based on their activity in the social network. To this aim, we have approached the vagueness and subjectivity in the review analysis from the social network by means of the fuzzy theory. We have leveraged on the theory of evidence so as to devise a MCME-DM process to aggregate the judgments from multiple perspectives and optimize the trust estimation. We have performed a realistic experimental campaign considering the YELP and Amazon dataset and showed that aggregating the output of multiple criteria allows achieving higher accuracy in detecting malicious reviews. We have also compared our approach against the main related works in the existing literature and showed that our approach obtained better efficacy by using 80% and 100% of the considered dataset.

FUTURE ENHANCEMENT

As future work, we plan to investigate more in detail the influence of common attacks toward a recommendation system so as to enhance the security of such a solution, in addition to the study of the privacy concerns of such systems, by considering the key legal frameworks, such as the The EU General Data Protection Regulation (GDPR). Moreover, the main critics to D-S aggregation are to return counterintuitive results when combining unreliable evidences [61] and/or conflicting evidences from independent sources [62]. In order to improve the detection of a potential problem in the aggregation process, special formulations of the mass functions and other concepts of the D-S theory emerged over the last decade, such as the evolutionary combination rule (ECR) in [63]. We have left as future work the investigation of this approach within the context of our work.

REFERENCES

[1] M. Faloutsos, T. Karagiannis, and S. Moon, "Online social networks," *IEEE Netw.*, vol. 24, no. 5, pp. 4–5, Sep/Oct. 2010.

[2] J. Castro, J. Lu, G. Zhang, Y. Dong, and L. Martinez, "Opinion dynamics-based group recommender systems," *IEEE Trans. Syst., Man, Cybern., Syst.*, vol. 48, no. 12, pp. 2394–2406, Dec. 2018.

[3] F. Xiong, X. Wang, S. Pan, H. Yang, H. Wang, and C. Zhang, "Social recommendation with evolutionary opinion dynamics," *IEEE Trans. Syst., Man, Cybern., Syst.*, vol. 50, no. 10, pp. 3804–3816, Oct. 2020.

[4] R. Ureña, G. Kou, Y. Dong, F. Chiclana, and E. Herrera-Viedma, "A review on trust propagation and opinion dynamics in social networks and group decision making frameworks," *Inf. Sci.*, vol. 478, pp. 461–475, Apr. 2019.

[5] Y. Xiang, E. Bertino, and M. Kutylowski, "Security and privacy in social networks," *Concurrency Comput. Practice Exp.*, vol. 29, no. 7, 2017, Art. no. e4093.

[6] D. Irani, S. Webb, K. Li, and C. Pu, "Modeling unintended personal information leakage from multiple online social networks," *IEEE Internet Comput.*, vol. 15, no. 3, pp. 13–19, May/Jun. 2011.

[7] A. Nosko, E. Wood, and S. Molema, "All about me: Disclosure in online social networking profiles: The case of Facebook," *Comput. Human Behav.*, vol. 26, no. 3, pp. 406–418, 2010.

[8] K. Krombholz, D. Merkl, and E. Weippl, "Fake identities in social media: A case study on the sustainability of the Facebook business model," *J. Service Sci. Res.*, vol. 4, no. 2, pp. 175–212, 2012.

[9] E. Ferrara, O. Varol, C. Davis, F. Menczer, and A. Flammini, "The rise of social bots," *Commun. ACM*, vol. 59, no. 7, pp. 96–104, 2016.

[10] X. Wang *et al.*, "Game theoretic suppression of forged messages in online social networks," *IEEE Trans. Syst., Man, Cybern., Syst.*, early access, Mar. 5, 2019, doi: 10.1109/TSMC.2019.2899626.

[11] M. A. Ferrag, L. Maglaras, and A. Ahmim, "Privacy-preserving schemes for ad hoc social networks: A survey," *IEEE Commun. Surveys Tuts.*, vol. 19, no. 4, pp. 3015–3045, 4th Quart., 2017.

[12] I. Kayes and A. Iamnitchi, "Privacy and security in online social networks: A survey," *Online Soc. Netw. Media*, vols. 3–4, pp. 1–21, Oct. 2017.

- [13] S. R. Sahoo and B. B. Gupta, "Classification of various attacks and their defence mechanism in online social networks: A survey," *Enterprise Inf. Syst.*, vol. 13, no. 6, pp. 832–864, 2019.
- [14] C. Zhang, J. Sun, X. Zhu, and Y. Fang, "Privacy and security for online social networks: Challenges and opportunities," *IEEE Netw.*, vol. 24, no. 4, pp. 13–18, Jul. 2010.
- [15] H. Gao, J. Hu, T. Huang, J. Wang, and Y. Chen, "Security issues in online social networks," *IEEE Internet Comput.*, vol. 15, no. 4, pp. 56–63, Jul./Aug. 2011.